



TRIPMAKER® RVND™ 5510

Quick Start Guide 2-20

Guide de démarrage rapide 22-41

Overview

⚠ WARNING: See safety information included with the device for warnings and precautions.

To maximize battery life, plug in the navigation unit for the first 2 hours of use. **Always make sure your GPS has a clear view of the sky.** The first time you use the device, it may take up to 15 minutes for your GPS to connect to the satellites.

TO POWER THE DEVICE:

- On** Press and hold the Power Key for several seconds.
(Device powers on in 5 seconds.)
- Off** Press and hold the Power Key for five (5) seconds.

BATTERY POWER INDICATOR:

- No Light** Device is running on the battery. Battery power is sufficient.
- Green** Device is plugged in and the battery is fully charged.
- Red** Device is plugged in and the battery is charging.

IMPORTANT: Connect your device to your personal computer to register your device and activate additional features. **Features require internet connection and Windows compatible PC.**

FOR CUSTOMER SUPPORT, CALL 800-333-0136



NOTE: Occasionally the unit appears to freeze. Use the Reset button (located on the back of the device) to restart. Your current route will be lost, but other settings will be saved.

Main Menu

- 1 Enter RV information and access RV specific tools.
- 2 Show location on the map and view navigation instructions.
- 3 Choose a destination.
- 4 Select RV, route and device preferences.
- 5 Mute/unmute the speaker.
- 6 Adjust speaker volume.
- 7 Battery status indicator

MAIN MENU



Install the Mount

NOTE: Follow all local regulations governing the placement of the mount.



Select an area with a line of sight to the sky and GPS satellites to ensure reliable GPS information.

- 1 Clean and dry the mounting area.
- 2 Remove the suction cup protective film.
- 3 Adjust the angle and secure the cradle to the mount using the thumbscrew.
- 4 Pull the suction cup lever up to release suction.
- 5 Place and hold the mount suction cup against the mounting surface.
- 6 Press the suction cup lever down until it snaps into place.
- 7 Angle the bottom of the device into the cradle and press the top of the device towards the cradle until you hear the upper clip latch into place.
- 8 Plug the power cord into the device and the vehicle's 12-volt power source.
- 9 Adjust the navigation device so that it can be easily seen and does not block the driver's line of sight.





NOTE: Do not place the mount in an airbag deployment area.

Enter RV Information

- 1 Tap **RV Tools** > **RV Info**.
- 2 Tap  and  to view all options.
- 3 Tap the option button to be changed.
- 4 Enter new RV information settings.
- 5 Tap **Back** to save changes.




Set Warnings

- 1 Tap **RV Tools** > **Warnings**.
- 2 Tap  and  to view all warning options.
- 3 Tap the option button to be changed.
- 4 Enter the new settings for the option.
- 5 Tap **Back** to save changes.



Find an Address

- 1 Tap **Choose Destination** > **New Location**.
- 2 Select a search type (**Address**, **City Center** or **Intersection**).
- 3 Use the keyboard to type location information.
- 4 Tap on the address in the displayed list.



Route to a Saved Location

- 1 Tap **Choose Destination** > **Address Book**.
- 2 Tap on the **All Addresses** tab.
- 3 Tap on the destination in the displayed list.
- 4 Tap **Begin New Route**.



Find a Point of Interest (POI)

Find RV-related points of interest.


- 1 Tap **Choose Destination** > **Points of Interest**.
- 2 Choose how you want to search for points of interest.
- 3 Tap to select the type of Points of Interest that you are looking for.
- 4 Tap on the selection in the display list.



Confirm Destination Window


After entering an address or selecting a POI, you have the option to begin a new route to this destination, add the destination to your current route as a stop (via), add the destination to your address book, or set the destination as the origin for any trip.

- 1 Destination address.
- 2 Return to previous window.
- 3 Begin route to destination.
- 4 Cross reference to printed Rand McNally *Road Atlas*.
- 5 View the map.
- 6 Change the starting address for a route to the location displayed on the map screen.
- 7 Return to Main Menu.
- 8 Save the location to the Address Book.
- 9 Add the location to a multi-stop route as a via point.



Route Map Window

- 1 Repeat spoken next-maneuver instructions.
- 2 Name of street you will turn onto next.
- 3 Show arrival time and remaining distance.
- 4 Slide out Exit amenities.
- 5 Directions list slideout.
- 6 Zoom in/zoom out.
- 7 Tap current speed to access the **Virtual Dashboard** (see p.14 for details).
- 8 Additional current location or route options.
- 9 Tap to use Road Information field: view current road name, upcoming cross road name, or city name and state. "Am I Close" feature will provide street numbers as you approach the destination.
- 10 Select a map display option (Heading Up, North Up, or 3D View).
- 11 Return to Main Menu.



View Current Road Information

On the **Route Map Window**, the Road Information field lets you view information on the road you are currently on.

- 1 Create a route.
- 2 On the **Route Map Window**, the city, county and state displays in the Road Information field.
- 3 Tap on the Road Information field. Current road information displays.
- 4 Tap on the Road Information field again. Next intersecting street name displays.
- 5 Tap the Road Information field again to redisplay the city, county, and state information.



Road Information field

Junction View

When on a route, Junction View displays when you have an upcoming maneuver. Once past the maneuver, Junction View closes and the previous window displays.

- 1 The highway you are turning onto.
- 2 The signage information for your next turn.
- 3 Number and direction of lanes for the next maneuver.
- 4 Distance to the upcoming maneuver. Distance decreases as you approach the ramp.
- 5 Return to **Route Map Window**.







Virtual Dashboard

When using the virtual dashboard on a route, the virtual dashboard closes and the Junction View displays an upcoming maneuver. Once past the maneuver, the virtual dashboard redisplay. The Virtual Dashboard can be accessed at any time by tapping the Miles per Hour icon. (See p.12, Step #7)

- 1 Sunrise/Sunset time based on vehicle location (latitude/longitude) and day.
- 2 Current speed (above) and posted speed limit (below).
- 3 Altitude at current location.
- 4 Percentage of current trip completed, distance to next maneuver, and the number of miles and time spent on the trip to this point.
- 5 Average uphill and downhill speeds.
- 6 Return to the **Route Map Window**.
- 7 Gather trip information for up to three trips. Includes odometer settings, hours, and speeds.
- 8 Reset trip information for the selected trip (Trip 1, Trip 2 or Trip 3).
- 9 Select to reset the information in any tab after the vehicle has remained stationary for the specified number of hours.



Set Routing and Device Options

- 1 Tap **Preferences**.
- 2 Tap the **Route** tab.
- 3 Tap  and  to view routing options.
- 4 Tap the option button to be changed.
- 5 Enter the new settings for the option.
- 6 Tap the **Device** tab.
- 7 Tap  and  to view device options.
- 8 Tap the option button to be changed.
- 9 Enter the new settings for the option.
- 10 Tap **Back** to save changes.



Checklists, Maintenance and Trails

- 1 Tap **RV Tools** > **Checklists, Maintenance, and Trails**.
- 2 Reference checklists to set up and take down.
- 3 Use Maintenance logs to track planned repairs and replacements.
- 4 Use Trails to record your route from camp to the main road.



IMPORTANT! Use RVND™ Dock

Use Rand McNally RVND™ Dock to receive software upgrades, construction updates and access additional features. To obtain your update, simply install the included RVND™ Dock PC Software (see instructions below). The RVND™ Dock PC Software is stored on your TripMaker® RVND™. It will install automatically the first time you plug in your device to your PC with the included USB cable.

NOTE: Features require internet connection and Windows compatible PC.

- 1 Make sure your PC is turned on, and connected to the internet.
- 2 Connect the included USB cable to your PC and your TripMaker® RVND™, and turn on the RVND™.
- 3 Go to My Computer on your PC, then open the drive that has the name *"TripMaker® RVND™"*.
- 4 On the *"TripMaker® RVND™"* drive, double click on the icon named *"Setup RVND™ Dock."* Be patient! It may take a minute or two before you see anything happen.
- 5 Follow the on-screen instructions to complete the installation of RVND™ Dock.
- 6 RVND™ Dock will now start. If the update process does not start automatically, point the mouse on the Update TripMaker® RVND™ button, then select Update Now.
- 7 Be patient! If you have a slow internet connection, it may take up to 20 minutes until you see the *"Your TripMaker® RVND™ is up to date."* message.



NOTE: From now on, every time you connect to your PC, the RVND™ Dock software will automatically start, and you can receive the latest free road construction and feature updates, plus driver reviews of Travel Centers, and you can provide Rand McNally anonymous feedback from the Tell Rand feature on the Unit.

Warnings, Disclaimers and End-User License Agreement

Pay attention to road conditions and street signs, and obey all traffic and safety laws. Traffic laws and current traffic conditions must always be observed and take precedence over the instructions issued by the Rand McNally navigation system. The User should be aware of situations where current traffic conditions and the instructions from the navigation system may be in conflict. Some states prohibit the use of windshield mounts and may otherwise restrict the usage of navigation and other electronic devices in the vehicle. It is the User's responsibility to ensure compliance with all laws and regulations. The use of the navigation system does not relieve the User of his/her responsibilities. The User is ultimately responsible for the vehicle under his/her control and should be aware of the surroundings at all times.

If after reading these statements the User decides not to accept these terms, the User should not use the navigation system.

Rand McNally hereby grants you ("User") a single-user non-exclusive, non-transferable license to use the Rand McNally navigation system (hereinafter referred to as the "Product" (including software and associated data) for User's own internal business or personal use and not for resale, sublicense or commercial use.

This Product and the software incorporated in it and related documentation are furnished under license and may be used or copied only in accordance with this license. Except as permitted by such license, the contents of this Product and software may not be disclosed to third parties, copied or duplicated in any form, in whole or in part, without the prior written permission of Rand McNally. This Product and software contain proprietary and confidential information of Rand McNally and its licensors. Rand McNally grants User a limited license for use of this Product and the software incorporated in the Product for its normal operation. By using the Product, User acknowledges that the content of this document and the Product are the property of Rand McNally and its licensors and are protected by U.S. copyright, trademark and patent laws and international treaties.

THE USER MAY NOT:

- Use the Product on a network or file server, time-sharing or to process data for other persons.
- Use the Product to create any routing tables, files, databases or other compendiums.
- Copy, loan or otherwise transfer or sublicense the Product, its software or content.
- Modify, or adapt the Product in any way, or decompile, disassemble, reverse engineer or reduce to human readable form the Product and software incorporated therein.
- Alter, remove or obscure any copyright notice, trademark notice, or proprietary legend from the Product, its software or content.

This license will terminate automatically if User fails to comply with any of the terms of this license and User agrees to stop using the Product. Rand McNally may revise or update the Product and is not obligated to furnish any revisions or updates to User.

Rand McNally warrants that the Product, and the component parts thereof, will be free of defects in workmanship and materials for a period of one (1) year from the date of first consumer purchase. This warranty may be enforced by the first consumer purchaser, provided that the product is utilized within the U.S.A. or Canada.

Rand McNally will, without charge, repair or replace (with a new or newly reconditioned unit), at its option, defective Products or component parts. For repair or replacement of defective Products, User must contact Rand McNally at 1-800-333-0136 for return authorization and instructions. User will be required to provide proof of the date of first consumer purchase, such as a duplicated copy of a sales receipt. The consumer must pay any initial shipping charges required to ship the product for warranty service, but the return charges will be at Rand McNally's expense, if the Product is repaired or replaced under warranty.

Repairs or replacements have a 90 day warranty. If the unit sent in is still under its original warranty, then the new warranty is 90 days or to the end of the original one (1) year warranty, depending on which is longer.

This warranty gives the consumer specific rights, and he or she may also have other rights which vary from state to state.

Exclusions: This limited warranty does not apply: 1) to any product damaged by accident; 2) in the event of misuse or abuse of the product or as a result of unauthorized alterations or repairs; 3) if the serial number has been altered, defaced or removed; or 4) if the owner of the product resides outside of the U.S.A. or Canada.

Caution: Rand McNally makes no warranty as to the accuracy of completeness of the information in the Product and disclaims any and all express, implied or statutory warranties, including any implied warranty of merchantability or fitness for a particular purpose. It is the user's responsibility to use this product prudently. This product is intended to be used only as a travel aid and must not be used for any purpose requiring precise measurement of direction, distance, location or topography.

RAND MCNALLY AND ITS LICENSORS DO NOT MAKE ANY OTHER WARRANTY OR REPRESENTATION, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THE PRODUCT, INCLUDING ANY WARRANTY AS TO QUALITY, PERFORMANCE, TITLE OR NON- INFRINGEMENT. IN NO EVENT WILL RAND MCNALLY OR ITS LICENSORS BE LIABLE FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PRODUCT, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Some states do not allow limitations on how long an implied warranty lasts and/or do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations may not apply to some consumers.

The User agrees to allow User-provided information to Rand McNally to be used for internal business evaluation purposes, including, but not limited to, evaluating the effectiveness of the services provided, methods to simplify or improve User experiences. Such information will not be used by third parties or in any way that discloses the identity of the User.

Rand McNally may make use of third party software in the Product. Notwithstanding the terms and conditions of this license, use of some third party materials included in the Product may be subject to other terms and conditions. The official third party copyright notices are provided at the end of this License.

The User agrees to indemnify, defend and hold Rand McNally and its licensors (including their respective licensors, suppliers, assignees, subsidiaries, affiliated companies, and the respective officers, directors, employees, shareholders, agents and representatives of each of them) free and harmless from and against any liability, loss, injury (including injuries resulting in death), demand, action, cost, expense or claim of any kind or character, including but not limited to attorney's fees, arising out of or in connection with any use or possession by the User of this Product.

These terms and conditions constitute the entire agreement between Rand McNally (and its licensors and suppliers) and the User pertaining to the subject matter hereof, and supersedes in their entirety any and all written or oral agreements previously existing between us with respect to such subject matter.

The above terms and conditions shall be governed by the laws of the Illinois, without giving effect to (i) its conflict of laws provisions, or (ii) the United Nations Convention for Contracts for the International Sale of Goods, which is explicitly excluded. The User agrees to submit to the jurisdiction of Illinois for any and all disputes, claims and actions arising from or in connection with the Data provided to the User hereunder.

User shall not export the Product in violation of any U.S. or foreign laws. Rand McNally's licensors shall be third party beneficiaries of Rand McNally's rights under this license, but are not parties hereto and have no obligations hereunder.

By using this product you agree to be bound both by the foregoing and to the terms of use found at www.randmcnally.com/RVGPS.

Restricted Rights Legend. For governmental agencies: Use, reproduction or disclosure is subject to restrictions set forth in subparagraph (c) (1) (iii) of the Right in Technical Data and Computer Software clause at DFARS 52.227-7013, as amended.

Copyright © 2011 Rand McNally. All rights reserved. Portions © 2010, 2011 NAVTEQ. All rights reserved. This data includes information taken with permission from Canadian authorities, including © Her Majesty the Queen in Right of Canada, © Queen's Printer for Ontario. Portions © 2011 InfoGation. All rights reserved. © 2010 Bringfido.com. All rights reserved. © 2010 Allstays, LLC. All rights reserved. © 2011 Fishing Hot Sports, Inc. All rights reserved. U.S. Patent No. 7,580,791.

Please retain your original sales receipt for warranty service.



Find More Information

Once installed, the Rand McNally TripMaker® RVND™ 5510 User Guide can be accessed from a button in RVND™ Dock.

The User Guide and a list of FAQs can also be found at www.randmcnally.com/RVGPS.

Or you can call **800-333-0136**

Trouver davantage d'informations

Une fois installé, on peut accéder au guide d'utilisation du TripMaker® RVND™ 5510 de Rand McNally à partir d'une touche dans RVND™ Dock.

Vous pouvez également trouver le guide d'utilisation et une FAQ sur le site www.randmcnally.com/RVGPS.

Ou bien, vous pouvez appeler le **800 333 0136**